

# TURNSTILE PACKAGE PASSER



Offering innovative solutions for bullet, blast, impact and wind resistance.

## FEATURES

- UL752 Level 1, 2 and 3 glazing ballistic options available
- Constructed with UL listed bullet resisting materials
- Standard black base and top with clear glazing channel
- Wide range of sizes available
- Delivered assembled and ready for installation

## PRODUCT DESCRIPTION

The package exchange system is an easy and cost effective way to pass small to medium size packages on a frequent basis. The system features a revolving inner package passer which rotates from side to side allowing packages to be passed through a barrier without breaching security. When installed within a glazed window, the full vision unit will not obstruct the windows line of sight. The Turnstile Package Passer can be constructed from materials designed to help combat ballistic assaults from Threat Levels 1, 2 or 3 based on UL752 ballistics standards.

## CONSTRUCTION

### Box Construction

- The unit features a rectangular outer shell made from transparent bullet resistant glazing material with openings facing the customer and employee.
- A revolving interior three-sided box is constructed from the same bullet resistant material. The interior unit revolves back and forth from customer side to secure side, enabling packages to be passed through safely. The interior unit has a ball bearing mechanism for easy rotation.
- The device is held together with extruded aluminum channels and plated steel fasteners to match.
- The top and bottom have laminate covered particleboard with a standard black finish.
- Standard aluminum glazing channels feature a clear anodized finish.

### Glazing

- The bullet resistant protection level will be specified by end user.
- Glazing material options include those listed by Underwriter Laboratories' Standard 752 Level 1-3.

### UL752 Ballistic Rating Options

- UL Level 1: 1 1/4" Acrylic
- UL Level 2: 1 3/8" Acrylic
- UL Level 3: 1 1/4" Lexgard® SP1250

## APPLICATIONS

- Financial institutions
- Convenience stores
- Pharmacies
- Food service establishments
- Law enforcement facilities
- Parcel passer locations
- Other "at risk" facilities

Each end user should determine their ballistic threat and identify the appropriate product(s) to resist that threat.

## STANDARD SIZES

### Standard Size

24" W x 18" H x 18 3/4" D (20" diameter disc)  
Package Dimensions  
11" W x 13" D x 14 1/4" H

### Large Size

24" W x 24" H x 18 3/4" D (20" diameter disc)  
Package Dimensions  
11" W x 13" D x 20 1/4" H

## NOTE

This unit was not tested as an assembled product. Only specific items are tested or rated.

Component ratings are available upon request.

Lexgard® is either a registered trademark or trademark of Global Security Glazing.

Unless otherwise agreed to in a document signed by both parties, any sale of products by Insulgard™ Security Products ("Insulgard") is made exclusively under Insulgard's Standard Terms and Conditions of Sale, which are available at [www.insulgard.com](http://www.insulgard.com). Insulgard makes no warranty, express or implied, with respect to customer's application outside of the Insulgard Limited Warranty. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Insulgard's Standard Terms Conditions of Sale, the Insulgard Limited Warranty, or this disclaimer, unless any such modification is specifically agreed to in a writing signed by Insulgard. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of SABIC Innovative Plastics US LLC or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.

Insulgard™ is a trademark of SABIC Innovative Plastics IP B.V.

**Insulgard™**  
**SECURITY PRODUCTS**

[www.insulgard.com](http://www.insulgard.com)

Phone: (800) 624-6315